



Effective Date: March 2021

This listing is subject to re-examination in one year.

www.icc-es-pmg.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 10 00 00—SPECIALTIES
Section: 10 73 00—Protective Covers

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Product: Waterproofing Sleeve for Water Heaters and Furnaces

Listee: Smart Product Innovations, Inc.
430 Andbro Drive, Unit 1
Pitman, NJ 08071
www.floodproofing.com

Compliance with the following codes:

2021, 2018, 2015, 2012 and 2009 *International Plumbing Code*® (IPC)
2021, 2018, 2015, 2012 and 2009 *International Residential Code*® (IRC)
2021, 2018, 2015, 2012 and 2009 *International Building Code*® (IBC)
2021, 2018, 2015, 2012 and 2009 *National Standard Plumbing Code*® (NSPC)
2021, 2015, 2012 and 2009 *Uniform Plumbing Code*® (UPC)*

**Uniform Mechanical Code is a copyrighted publication of the International Association of Plumbing and Mechanical Officials*

Compliance with the following standards:

ICC-ES LC 1032-2013, PMG Listing Criteria for Waterproofing Sleeve for Water Heaters and Furnaces

Identification:

Sleeve shall be marked with the manufacturer's name as well as the ICC-ES PMG certification mark.

Installation instructions shall include a statement which instructs the end user that after use, the sleeve must be rolled back into its original state prior to use in order to prevent any blockage to any of the appliance's vent(s), relief valve, or combustion chamber.

Installation:

Sleeve shall be installed in accordance with the manufacturer's published instructions and the applicable code(s).

Models:

Utility Sleeve Square for Furnace – Herculite 90 or 10W material
Utility Sleeve Round for Water Heater – Herculite 90 or 10W material

Conditions of listing:

1. The Authority Having Jurisdiction for the area in which this product is to be installed, shall have the final decision for compliance to Section G1001 of the International Building Code (IBC).
2. Installation shall be in accordance with the manufacturer's instructions and the requirements of the code sections references above.
3. The sleeves are under a quality control program with an annual surveillance inspection by ICC-ES.